Propellant Data

| Propellant & combustion products physical/thermochemical properties | | | | | | | | | | |
|---|-------|-------------------|-------|------------|------------|----------------|--|--|--|--|
| Propellant type | | | | [Type 1] | [Type 2] | [Type 3] Other | | | | |
| | symb. | units | notes | KNDX-65/35 | KNSO-65/35 | KNER-65/35 | | | | |
| Grain mass density, ideal | ρр | g/cm ³ | | 1,879 | 1,841 | 1,8199 | | | | |
| Ratio of specific heats, 2-ph. | k | - | [1] | 1,043 | 1,042 | 1,0426 | | | | |
| Ratio of specific heats, | | | | | | | | | | |
| mixture | k | - | [2] | 1,1308 | 1,1361 | 1,1391 | | | | |
| Effective molecular wt. | M | kg/kmol | [3] | 42,39 | 39,9 | 38,78 | | | | |
| Chamber temperature | То | K | [4] | 1710 | 1600 | 1600 | | | | |

Notes: [1] For the dynamic (zero lag) gas-particle mixture.

[2] For the static gas-particle mixture.

[3] Given by system mass divided by number of gas moles in system.

[4] Adiabatic flame temperature.

Additional

Notes: KNDX-65/35 = Potassium Nitrate/Dextrose, 65/35 O/F ratio

KNSO-65/35 = Potassium Nitrate/Sorbitol, 65/35 O/F ratio KNSU-65/35 = Potassium Nitrate/Sucrose, 65/35 O/F ratio

Propellant Burn Rate Empirical Data

| KNER 65/35 | | | | | | | | | | | |
|----------------|------|-------------|-------|----------------|--|-------------|---|--|--|--|--|
| Pressure range | | а | n | Pressure range | | а | n | | | | |
| Pressure, psia | | psi, in/sec | | Pressure, Mpa | | Mpa, mm/sec | | | | | |
| 0 to | 5000 | 0,0068 | 0,539 | 0 to | | | | | | | |